Unified Python Interactive Command Modules (ICM) and ICM-Players

A Framework For Development Of Expectations-Complete Commands

A Model For GUI-Line User Experience

Document #PLPC-180050 Version 0.3 December 13, 2018

This Document is Available on-line at: http://www.by-star.net/PLPC/180050

Neda Communications, Inc.

Email: http://www.by-star.net/contact

Contents

Ι	Ov	erview	2
1	Sum	nmary	2
	1.1	Benefits Of This Commands Oriented Approach	2
	1.2	Commands Are Abstract Expectations Complete	3
	1.3	ICM-Players: User Interfaces That Fulfill Command Expectations	3
2	Prec	cedence: Other Similar Approaches	3
	2.1	Automated Mapping Of Command-Line To Callables	4
		2.1.1 Automated Mapping Of Command-Line To Python Callables	4
		2.1.2 Elisp's Command and (interactive)	4
	2.2	Automated Building Of Web Services Based On Collection Of Callables	5
	2.3	Generic UIs that Invoke The Command-Line Or The Web Service	5
3	Spec	cialized ICMs – Libraries, Packages, Apps And Frameworks	5
4	Rela	ated Documents	5
5	Abo	out This Software And About This Document	6
	5.1	Part Of ByStar and BISOS	6
	5.2	About This Document (Presentation/Podcast)	6
6	Doc	rument Outline	7
II	Co	oncepts And Terminology Of Unified Expectations-Complete Commands	8
7	Con	acept Of Unified Commands	8
	7.1	Terminology Of Native vs Foreign, Local vs Remote, Interactive vs Non-Interactive	8
	7.2	Terminology Of Callables, Operations And Commands	9
	7.3	Commands Are Special Forms Of Operations	9
	7.4	Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Mapping	9
	7.5	Commands Can Emit Their Expectations	10
	7.6	Commands Are Capable Of Validating Their Expectations	10
	7.7	Native Invocations Vs Interactive Invocation – Commands Can Be Invoked As Interactive Or As Non-Interactive	10

8	Interactive Command Modules (ICMs) As Collections Of Related Commands	11
	8.1 Related And Common Parameters	11
9	An Overview Of ICM Framework, Modules And Players	11
III	The Model Of ICM-Players And ICM-Apps	13
10	The Concept Of ICM-Players And ICM-Apps	13
	10.1 The Blee-ICM-Player (With Emacs and elisp)	
	10.2 Abstraction Of ICM-Apps	13
IV	ICM Specializations	14
11	About BASH-ICMs	14
12	ICM Groupings	14
13	About ICM Libraries (Collections Of Reusable ICMs)	15
	Direct And Remote Operations – Direct ICMs, Remote ICM Invokers, Remote ICM Per- rmers	16
14	A Unified Model For Python Invocations, Command-Line Invocations And Remote-Op Invocations	16
15	Benefits And Powers Of The ICM Unified Model	16
	15.1 Direct Operations ICM (DO-ICM) Model	16
16	An Overview Of Direct-Operations ICMs and ICM-Players	17
	16.1 ICMs Can Be Converted To Web Services Performer	17
17	An Overview Of Web Services ICM With Swagger Code Generators	18
VI	Direct ICMs Command-Line Structure And Model	19
18	Common Direct ICMs Command Syntax And Model – Python And Bash Specific Features	19
19	Python DO-ICM Features	19
	19.1 Frequently Invoked Menu Example	20
	19.2 Usage –help	20
	10.2 Lagging	20

19.4 Tracing And Debugging	20
19.5 Plugins – Loading Of Additional Python Code	21
VII Python Native Command Invocations	22
20 Python Method Invocations Of Commands	22
VIII Remote Operation ICMs (RO-ICM)s – ICM-Performers and ICM-Invokers	23
21 ICM-Performers	23
22 ICM-Invokers	23
IX Common Foundations	24
23 Wrappers And Streams	24
X Overview Of The unisos.icm Package	25
24 AST Analysis For class Cmnd Mapping	25
XI Current Status And Next Steps	26
25 Current Status	26
26 Next Steps	26
List of Figures	
1 ICM Framework, Modules And Players	12
2 Direct Operations Interactive Command Modules (DO-ICM)	17
3 Web Services Interactive Command Module (WS-ICM) Using Swagger Code Generators	18

Part I

Overview

1 Summary

When writing Python software, your code is usually one of:

- 1. Python Functions (part of a larger system) or Libraries
- 2. Python Scripts to be executed at command line
- 3. Web Services performers (servers) to be used by invokers (clients)

Unified Interactive Command Modules (ICM) is a framework that allows you to make your code be any or all of the above – with near zero extra effort.

ICM permits you to automatically map Python callables to command-line – similar to click. ICM also permits you to automatically map Python callables to Web Services operations – similar to Java's DropWizard.

Since "Unified Commands" embed their full information about their arguments and outcomes within themselves, it is possible build to generic GUI's for ICMs that can drived the formation of their command line.

Notes:

1.1 Benefits Of This Commands Oriented Approach

Benefits Of Building On Top Of "Operations" and "Commands"

Augmenting Python at its most basic level with the concepts and abstractions of "Commands" and "Operations" has many benefits.

Scripting, Web Services And More Than Unit Testing

- Python code in the form of "Commands" becomes immediately invokable at command-line-interface. Python scripting is simplified and made consistent.
- Since "Commands" are derived from "Operations" and since they can be made "Remote Operations", we can use Swagger (OpenApi) to build Web Services based on Commands.
- Since Commands are Python callables that are easily executable from outside of the code, they are easily testable.

Notes:	
1.2 Commands Are Abstract Expectations Complete	
Abstract Expectations Of Commands	
 Every Command "knows" with what options, parameters and arguments it may be called. Every Command "knows" the syntax of its results. 	
Command Expectations Are Emitable	
 Every Command can emit its full parameter expectations. Every Command can emit its full results syntax information. 	
Notes:	
1.3 ICM-Players: User Interfaces That Fulfill Command Expectations	
ICM-Players Are Generic Fancy UIs That Build Command-Lines	
Since each Command can fully tell us – "emit" – its full expectations, we can build different types of user interfact that present these expectations to the user.	
The user can then specify these inputs in stages to produce complex command lines	

2 Precedence: Other Similar Approaches

There is ample precedence for each of the 3 aspects that the ICM model puts forward:

- 1. Automated Mapping Of Command-Line To Python Callables
- 2. Automated Building Of Web Services Based On Collection Of Callables

3. Generic UIs that Invoke The Command-Line Or The Web Service	

2.1 Automated Mapping Of Command-Line To Callables

2.1.1 Automated Mapping Of Command-Line To Python Callables

Argparse/Optparse/Getopt. Built into Python. Complex. [Compago] (https://github.com/jmohr/compago) Very nice, but unmaintained. Also, does not run on Python 3. [Docopt] (http://docopt.org/) [Clint] (https://github.com/kennethreitz/clint) [Click] (http://click.pocoo.org/3/) https://pypi.python.org/pypi/snakeshell/0.4.0

Notes:

2.1.2 Elisp's Command and (interactive)

The concept and terminology of "Command" and "interactive" come from elisp (emacs lisp). But they have been modified and enhanced. In elisp:

The (interactive) special form declares that a function is a command, and that it may therefore be called interactively (via M-x). The argument arg-descriptor declares how to compute the arguments to the command when the command is called interactively.

A command may be called from Lisp programs like any other function, but then the caller supplies the arguments and arg-descriptor has no effect.

Therefore, in elisp the concepts of "Command" and "interactive" are directly linked. We consider that a mistake.

With ICMs "Command" and "interactive" are independent concepts.

2.2	2.2 Automated Building Of Web Services Based On Collection Of Callables		
Jav	a's dropwizard		
Note	es:		
2.3	Generic UIs that Invoke The Command-Line Or The Web Service		
Swa	gger-UI		
Note	es:		
3	Specialized ICMs – Libraries, Packages, Apps And Frameworks		
ICM	is a foundational building block.		
	cept of ICM is language independent, a practical subset of the capabilities of Python-ICM has been implemented ASH-ICM.		
MA	RMEE and GOSSONoT are examples of ICM Based Packages and ICM higher level frameworks.		
Note	es:		
4	Related Documents		
	Remote Operations Interactive Command Modules (RO-ICM) Best Current (2018) Practices For Web Services Development http://www.by-star.net/PLPC/180056 — [2]		
	$\label{lem:adam} AGeneralizedSwagger(OpenAPI)CenteredWebServicesInvocationsAndTestingFrameworkhttp://www.bystar.net/PLPC/180057-[1]$		
	Bash Interactive Command Modules (Bash-ICM) http://www.by-star.net/PLPC/180058 — [?]		

5 About This Software And About This Document

You can obtain complete source-code for ICM from:

PyPi Pip Install

```
pip install unisos.icm
pip install unisos.icmExamples
```

Github Repos

https://github.com/unisos-pip/icmhttps://github.com/unisos-pip/icmExamples

Notes:

5.1 Part Of ByStar and BISOS

ICM is Part Of A Much Bigger Picture.

ICM Is Part Of: The Libre-Halaal ByStar Digital Ecosystem

And Part Of: BISOS: ByStar Internet Services OS

ICM is being used and developed in that context.

Notes:

5.2 About This Document (Presentation/Podcast)

You can obtain this document at its access page: http://www.by-star.net/PLPC/180050 where it is available in multiple forms and multiple formats:

- Article/Book Form: Best suited for cover-to-cover reading (pdf).
 - **Pdf Format**: Best suited for printing and cover-to-cover reading.
 - HTML/Web Format: Best suited for Web reading and cross referencing.
- Presentation Form: Best suited for quick scan with live URLs –(pdf).

- Screencast: A slide oriented voice-over narrated presentation (Reveal.js Based)
- PDF Slides: Best suited for printing of the slides (Beamer Generated)
- HTML Slides And Notes: Slide and notes in html format (Beamer+HaVeA Generated)
- PDF Slides and Notes: Best suited for printing of presentation notes (Beamer Generated)

We can benefit from your feedback. Please let us know your thoughts. You can send us your comments, corrections and criticisms to mailto:feedback@mohsen.1.banan.byname.net

6 Document Outline

- The Unified Commands Model, Concepts And Terminology
- The Model Of ICM-Players And ICM-Apps
- ICM Specializations
- Direct And Remote Operations Direct ICMs, Remote ICM Invokers, Remote ICM Performers
- Direct ICMs Command-Line Structure And Model
- Overview Of The unisos.icm Package
- Current Status And Next Steps

Part II

Notes:

Concepts And Terminology Of Unified Expectations-Complete Commands

7 Concept Of Unified Commands
Command (Unified Command)
A "Command" is a user invokable execution entry point.
A Unified Command can be invoked from:
• The Command Line Interface – (Foreign, Local, Interactive)
Through A Web Services (Remote Operations) Invoker – (Foreign, Remote)
• Python Code – (Native, Local)
Notes:
7.1 Terminology Of Native vs Foreign, Local vs Remote, Interactive vs Non-Interactive
Native Vs Foreign
Invocation of Commands can be "Native" (an ordinary call) or "Foreign" (a framework call).
Local Vs Remote
Invocation of Commands can be "Local" (same process and machine) or "Remote" (different process or different machine).
Interactive Vs Non-Interactive
For the purposes of the invokation an abstract Human-User may exist (interactive) or an abstract Human-User does no exist (non-interactive).

7.2 Terminology Of Callables, Operations And Commands

Operations Are Special Forms Of Callables Operations are Callables whose arguments and results are "foreignly" specified. Commands Are Special Special Forms Of Operations Commands are Operations which are expection complete Notes: 7.3 Commands Are Special Forms Of Operations Commands As Operations Each Command has: • A cmndName (an opName) • Operations Arguments In The Form Of: • Cmnd-Options • Cmnd-Parameters • Cnnd-Arguments • Operation Results In The Form Of: • stdExit, stdOut, stdErr • opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (arge,argy) Command-Line Mapping			
Commands Are Special Special Forms Of Operations Commands are Operations which are expection complete Notes: 7.3 Commands Are Special Forms Of Operations Commands As Operations Each Command has: • A cmndName (an opName) • Operations Arguments In The Form Of: • Cmnd-Options • Cmnd-Parameters • Cmnd-Arguments • Operation Results In The Form Of: • stdExit, stdOut, stdErr • opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	Operations Are Special Forms Of Callables		
Commands are Operations which are expection complete Notes: 7.3 Commands Are Special Forms Of Operations Commands As Operations Each Command has: • A cmndName (an opName) • Operations Arguments In The Form Of: • Cmnd-Options • Cmnd-Parameters • Cmnd-Arguments • Operation Results In The Form Of: • stdExit, stdOut, stdErr • opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation - Getopt (argc,argv) Command-Line Map-	Operations are Callables whose arguments and results are "foreignly" specified.		
Notes: 7.3 Commands Are Special Forms Of Operations Commands As Operations Each Command has: • A cmndName (an opName) • Operations Arguments In The Form Of: • Cmnd-Options • Cmnd-Parameters • Cmnd-Arguments • Operation Results In The Form Of: • stdExit, stdOut, stdErr • opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	Commands Are Special Special Forms Of Operations		
7.3 Commands Are Special Forms Of Operations Commands As Operations Each Command has: A cmndName (an opName) Operations Arguments In The Form Of: Cmnd-Options Cmnd-Parameters Cmnd-Arguments Operation Results In The Form Of: stdExit, stdOut, stdErr opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	Commands are Operations which are expection complete		
Commands As Operations Each Command has: • A cmndName (an opName) • Operations Arguments In The Form Of: - Cmnd-Options - Cmnd-Parameters - Cmnd-Arguments • Operation Results In The Form Of: - stdExit, stdOut, stdErr - opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	Notes:		
Each Command has: • A cmndName (an opName) • Operations Arguments In The Form Of: - Cmnd-Options - Cmnd-Parameters - Cmnd-Arguments • Operation Results In The Form Of: - stdExit, stdOut, stdErr - opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	7.3 Commands Are Special Forms Of Operations		
 A cmndName (an opName) Operations Arguments In The Form Of: Cmnd-Options Cmnd-Parameters Cmnd-Arguments Operation Results In The Form Of: stdExit, stdOut, stdErr opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map- 	Commands As Operations		
 Operations Arguments In The Form Of: Cmnd-Options Cmnd-Parameters Cmnd-Arguments Operation Results In The Form Of: stdExit, stdOut, stdErr opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map- 	Each Command has:		
- Cmnd-Options - Cmnd-Parameters - Cmnd-Arguments • Operation Results In The Form Of: - stdExit, stdOut, stdErr - opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	• A cmndName (an opName)		
 Cmnd-Parameters Cmnd-Arguments Operation Results In The Form Of: stdExit, stdOut, stdErr opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map- 	Operations Arguments In The Form Of:		
- Cmnd-Arguments • Operation Results In The Form Of: - stdExit, stdOut, stdErr - opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	- Cmnd-Options		
 Operation Results In The Form Of: stdExit, stdOut, stdErr opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map- 	- Cmnd-Parameters		
- stdExit, stdOut, stdErr - opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	- Cmnd-Arguments		
- opOutcome Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	Operation Results In The Form Of:		
Notes: 7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	- stdExit, stdOut, stdErr		
7.4 Commands Are Aware Of Their Expectation – Getopt (argc,argv) Command-Line Map-	- opOutcome		
	Notes:		

Commands Are aware of Command-Line

Each Command expects to be invoked from the command-line and is aware of Command-Line to python-callable mappings.	
Note	es:
7.5	Commands Can Emit Their Expectations
class	s Cmnd
Each	Cmnd, through its methods can output its:
•	· Cmnd-Name
	• Cmnd-Description
•	Expected Parameters (and description of each expected Parameter)
•	Expected Arguments (and description of expected Arguments)
•	• Expected outcome
Note	es:
7.6	Commands Are Capable Of Validating Their Expectations
class	s Cmnd
Is av	vare of how it has been invoked (Command-Line, Web Services, Python) and can validate its expectations.
Note	es:
7.7	Native Invocations Vs Interactive Invocation – Commands Can Be Invoked As Interactive Or As Non-Interactive
Whe	en Invoked As Interactive

Commands get their parameters from command-line.
Commands write to their stdout, stderr
When Invoked As Non-Interactive
Commands get their parameters to have been passed to them in full.
Comands may avoid writing to their stdout, stderr
Notes:
8 Interactive Command Modules (ICMs) As Collections Of Related Commands
Collection Of Related Commands
When related Commands are grouped in a python module with a commonmain entry, they for an "Interactive Commands Module (ICM)".
Notes:
8.1 Related And Common Parameters
Collection Of Related Commands
Parameters specification for different commands may be shared in an ICM.
Notes:
9 An Overview Of ICM Framework, Modules And Players




Figure 1: ICM Framework, Modules And Players

Part III

Notes:

The Model Of ICM-Players And ICM-Apps

10 The Concept Of ICM-Players And ICM-Apps

About ICM Players
Based on the ICM's self-contained info, ICM modules can be used at cmnd-line or through auto-generated User-Interfaces.
Notes:
10.1 The Blee-ICM-Player (With Emacs and elisp)
The Blee-ICM-Player (With Emacs and elisp)
Blee-ICM-Player
An emacs based ICM-Player has been implemented.
Notes:
10.2 Abstraction Of ICM-Apps
Abstraction Of ICM-Apps
ICM-Apps:
When a group of ICMs wish to have a UI which is more specialized than ICM-Players, custom UIs for their commands can be built.
That packaging of the custom UIs and the ICMs is called and ICM-App.

Part IV

ICM Specializations

11 About BASH-ICMs

Concept of ICM is language independent.

In Python, Commands are implemented as a Class that encapsulates the expectations within the "Class Cmnd".

In Bash, Commands are special forms of Bash functions.

A practical subset of the capabilities of Python-ICM has been implemented as Bash-ICM.

See BASH-ICMs for more details.

Notes:

12 ICM Groupings

- ICM
- · ICM.Packaged
- ICM.Packaged.basicPkg Marme
- ICM.Packaged.toiimPkg
- ICM.Packaged.empnaPkg
- ICM.Grouped
- · ICM.Grouped.Bisos
- ICM.Scattered(bxt)
- ICM.Scattered.mailingsProc
- ICM.Unitary A Single ICM
- ICM.Standalone A Single ICM With Library Included Distributable

Notes: Frame Notes

13 About ICM Libraries (Collections Of Reusable ICMs)

ICM "Commands"	can be included in ICM-Libraries which can then be combined.

Part V

Notes:

Direct And Remote Operations – Direct ICMs, Remote ICM Invokers, Remote ICM Performers

14 A Unified Model For Python Invocations, Command-Line Invocations And Remote-Op Invocations

Python Invocation Inputs: Complex Arguments Python Invocation Outputs: Complex Return Values
Command-Line Invocation Inputs: Options And Args Command-Line Invocation Outputs: stdout, stderr
Remote-Operation Invocation Inputs: parameters Remote-Operation Outputs: Results, Errors
Python Remote ICM (Interactive Commands Module) Model Transparently Unifies The Three
You just write your python code, the CLI and Remote Operations are fully auto generated.
Notes:
45 D Ct. A I D Of Th IOM II : C I M I I
15 Benefits And Powers Of The ICM Unified Model
Most of your development life-cycle is in a local and single process environment.
Most of your development life-cycle is in a local and single process environment. At will you map to command line.
Most of your development life-cycle is in a local and single process environment. At will you map to command line. At will you can split the functionality to remote-operations (Web Services).
Most of your development life-cycle is in a local and single process environment. At will you map to command line.
Most of your development life-cycle is in a local and single process environment. At will you map to command line. At will you can split the functionality to remote-operations (Web Services).
Most of your development life-cycle is in a local and single process environment. At will you map to command line. At will you can split the functionality to remote-operations (Web Services). You can switch between the three models by maintaining a single code base.
Most of your development life-cycle is in a local and single process environment. At will you map to command line. At will you can split the functionality to remote-operations (Web Services). You can switch between the three models by maintaining a single code base. Notes:

16 An Overview Of Direct-Operations ICMs and ICM-Players

Direct Interactive Command Modules (DO-ICM)




Figure 2: Direct Operations Interactive Command Modules (DO-ICM)

Notes: Frame Notes

16.1 ICMs Can Be Converted To Web Services Performer

Auto Generation Of Web Services Performer

Since ICMs are expectation complete, their expectations can be converted to a swagger-file.

The swagger-code-generator will then use the swagger-file to generate web-services code.

Commands within the ICM then become "controllers" that the generated code uses.

All of this can be fully automated such that an ICM becomes a web-service performer without any coding.

17 An Overview Of Web Services ICM With Swagger Code Generators

Web Services Interactive Command Modules (ws-icm) Code Generators & Libraries




Figure 3: Web Services Interactive Command Module (WS-ICM) Using Swagger Code Generators

Notes: Frame Notes

Part VI

Direct ICMs Command-Line Structure And Model

18 Common Direct ICMs Command Syntax And Model – Python And Bash Specific Features

Model And Terminology of Direct-ICM Command-Line is based on:

- 1. CmndsModule icmCmndsModule
- 2. Cmnds cmndName
- 3. Cmnd Options optionName1 ... optionNameN
- 4. Cmnd Params parmName1 ... paramNameN
- 5. Cmnd Args arg1 ... argN

Which leads to the common ICMs command-line invocation syntax of

icmCmndsModule --optionNameN --parmNameN=paramValueN -i cmndName arg1 argN

Python and Bash ICMs, each have their own specific additional features.

Notes:

19 Python DO-ICM Features

- 1. -examples Frequently Invoked Menu Examples
- 2. -help Usage getopt Summary
- 3. Logging
- 4. Tracing and Debugging
- 5. -load Run time additional code loading

19.1 Frequently Invoked Menu Example

Running the ICM with no options, params, cmnds or args or using the --examples option produces frequently invoked menu examples.

The examples menu is often tailored to desired usage patterns. This is the best way of getting started.

Notes:

19.2 Usage –help

Running the ICM with --help provides the usual getopt usage information.

Notes:

19.3 Logging

```
With -v 30 -- default -- ICM results go to stdout.
```

With -v 20, ICMs also report Swagger specified inputs and output with -v 15, ICMs also report http traffic as seen by requests with -v 1, ICMs also report digestion of the swagger file

Notes:

19.4 Tracing And Debugging

You can enable run time tracing of key callables (those decorated with @icm.subjectToTracking) by including:

-v 1 --callTrackings monitor+ --callTrackings invoke+

19.5 Plugins – Loading Of Additional Python Code

Additional	code	can	be	added	to	an	ICM	at	run	time	with	the
load addi	itiona	ılCoc	le.p	ру								

Part VII

Python Native Command Invocations

20 Python Method Invocations Of Commands

Commands can also be invoked from python. The cmnd() method of the icm.Cmnd() class needs to be called with interactive=False. Below is a demonstrational simple example.

See unisos.icmExamples pip package for more details.

Part VIII

Remote Operation ICMs (RO-ICM)s – ICM-Performers and ICM-Invokers

~ .	TO1 (D C
21	ICM-Performers

	Remote Operations Interactive Command Modules (RO-ICM) Best Current (2018) Practices For Web Services Development http://www.by-star.net/PLPC/180056 — [2]
Note	es:
22	ICM-Invokers
	A Generalized Swagger (OpenAPI) Centered Web Services Invocations And Testing Framework http://www.by-star.net/PLPC/180057 — [1]
Note	og.

Part IX

Common Foundations

pip install unisos.ucf	
Notes:	
23 Wrappers And Streams	
Add to warpers ICM-Instantiate Common ICM Parameter – Out Stream Consumer/Usage Context –oUsage=icmPlayerBlee	
Notes:	_

Part X

Overview Of The unisos.icm Package

pip ins	pip install unisos.ucf			
Notes:				
24	AST Analysis For class Cmnd Mapping			
•	's Abstract Syntax Tree (AST) is searched to locate all class Cmnd declarations, through which the mapping cmnd method is facilitated.			
Notes:				

Part XI

Current Status And Next Steps

25 Current Status

In the context of ByStar and BISOS, both Python-ICMs and Bash-ICMs have been in use for more than a decade.

With the exception of full automation of web services conversion all features and capabilities mentioned in this document have been implemented.

Notes:

26 Next Steps

ICM is now ready for general use.

If you use it, please send us your feedback.

Notes:

References

- [1] "Mohsen BANAN". "a generalized swagger (openapi) centered web services testing and invocations framework "Permanent Libre Published Content "180057", Autonomously Self-Published, "December" 2018. http://www.by-star.net/PLPC/180057.
- [2] "Mohsen BANAN". "remote operations interactive command modules (ro-icm) best current (2018) practices for web services development". Permanent Libre Published Content "180056", Autonomously Self-Published, "September" 2018. http://www.by-star.net/PLPC/180056.