

# **ByStar Autonomous Content Production And Administration Examples**

## **A How To Guide For Creating And Publishing Multi-Media Content**

**Article Format Of Presentation**

Document #PLPC-180060  
Version 0.1  
April 22, 2019

This Document is Available on-line at:  
<http://www.by-star.net/PLPC/180060>

**Neda Communications, Inc.**  
Email: <http://www.by-star.net>

# Contents

<b>I Overview</b>	<b>2</b>
<b>1 Assumptions – Pre-Requisites – This Is A How-To Document</b>	<b>2</b>
1.1 Pre-Requisites And Related Topics . . . . .	2
1.2 Pointers To Related Topics And Documents . . . . .	2
<b>2 Scope And Contours Of This Examples And How-To Document</b>	<b>2</b>
2.1 How-To – Topics Overview . . . . .	2
<b>3 Obtaining The Sources Of This Document – Obtaining BISOS And Related Components</b>	<b>3</b>
3.1 Obtaining Source Of This Document – Pointers To Git Repos . . . . .	3
3.2 Obtaining BISOS And Related Components . . . . .	3
<b>II Initial Selections: BxIO/Repo, Content Base, Content Language And Content Form</b>	<b>4</b>
<b>4 BxIO/Repo Selection</b>	<b>4</b>
<b>5 Content Base Creation</b>	<b>4</b>
<b>6 Content Languages Selection</b>	<b>4</b>
<b>7 Content Forms Selection</b>	<b>5</b>
<b>8 Build A Starting Point For Content Development And Processing</b>	<b>5</b>
<b>III Metadata Configuration – Build Verification And General Orientation</b>	<b>7</b>
<b>9 Metadata Configuration</b>	<b>7</b>
<b>10 Build Verification</b>	<b>7</b>
10.1 Content Processing – With lcntProc.sh . . . . .	7
10.2 Content Processing – With Panel.org . . . . .	8
10.3 Content Processing – From LaTeX Sources . . . . .	8
<b>IV Adding Structure And Multilingual Text</b>	<b>9</b>

<b>11 Common To All Forms Features</b>	<b>9</b>
11.1 MasterLangs.tytex and BodyForm.Langstex Canonicalization . . . . .	9
11.2 Conditional Processing Features . . . . .	9
11.3 Multilingualization Features In Left-To-Right Masters . . . . .	10
11.4 Multilingualization Features In Right-To-Left Masters . . . . .	10
<b>12 Presentation Form Features</b>	<b>10</b>
12.1 Structure Of Presentation Form Content . . . . .	10
12.2 DB-Frames Snippets . . . . .	11
12.3 Frame Content Snippets . . . . .	11
<b>13 Article Form Features</b>	<b>11</b>
13.1 RefTeX Mode – ref, cite, index . . . . .	12
13.2 Glossaries . . . . .	12
<b>V Adding Images – Figures And Pictures</b>	<b>13</b>
<b>14 Adding Images – Figures And Pictures</b>	<b>13</b>
<b>15 Producing Images</b>	<b>13</b>
15.1 Drawing With libreoffice-draw . . . . .	13
<b>16 Processing Images</b>	<b>13</b>
16.1 Configuring And Running figProc.sh . . . . .	13
<b>17 Including Images</b>	<b>14</b>
17.1 Insert Image Dblock And Update . . . . .	14
<b>18 Adding Images And Figures</b>	<b>14</b>
<b>VI Preparing For Voice-Over Narration</b>	<b>15</b>
<b>19 Prepare For Audio And Video Additions</b>	<b>15</b>
<b>20 Adding Voice-Over Sounds To Slides</b>	<b>15</b>
<b>VII Creating And Adding Videos And Screen Captures</b>	<b>16</b>
<b>21 Creating And Adding Screencasts</b>	<b>16</b>

22	ScreenCast Initial Content Generation Setup	16
23	ScreenCast VideoJS Setup	16
<b>VIII</b>	<b>Using ByStar Content Publication Facilities</b>	<b>17</b>
24	Publishing The Document	17
<b>IX</b>	<b>Setting Up And Running Mailings And Distributions</b>	<b>18</b>

## List of Figures

## Part I

# Overview

## 1 Assumptions – Pre-Requisites – This Is A How-To Document

### 1.1 Pre-Requisites And Related Topics

---

This is a “How-To” document.

It assumes that you are already familiar with ByStar Content Production And Administration Concepts.

The following related documents are available.

---

Notes:

### 1.2 Pointers To Related Topics And Documents

---

**ByStar Autonomous Content Collaborative-Authorship, Generation, Publication, and Distribution Software And Services** <http://www.by-star.net/PLPC/180038>

**The Libre-Halaal ByStar Digital Ecosystem A Unified and Non-Proprietary Model For Autonomous Internet Services A Moral Alterantive To The Proprietary American Digital Ecosystem** <http://www.by-star.net/PLPC/180016>

---

Notes:

## 2 Scope And Contours Of This Examples And How-To Document

### 2.1 How-To – Topics Overview

---

Multi-Media Content Authorship – Integration Of Multi-Lingual Text + Images + Audio + Video

- Base And Template Selection
- MetaData Configuration And Editing
- Creating Frames And Adding Text
- Adding Images

- Preparing For Multimedia Additions
  - Narration – Voice-Over Recordings
  - Video Additions – Recordings and Screen Captures
  - Publication
  - Mailings And Distribution
- 

Notes:

### **3 Obtaining The Sources Of This Document – Obtaining BISOS And Related Components**

#### **3.1 Obtaining Source Of This Document – Pointers To Git Repos**

---

NOTYET

---

Notes:

#### **3.2 Obtaining BISOS And Related Components**

---

Obtaining BISOS

Obtaining related Components

---

Notes:

## Part II

# Initial Selections: BxIO/Repo, Content Base, Content Language And Content Form

## 4 BxIO/Repo Selection

---

- Sources for production of content are kept in:
    - Git Repos
    - ByStar Information Object Containers
  - Decide on which BxIO/Repo you want to allocate to the content.
  - If needed create a Git Repo or a BxIO for the content.
- 

Notes:

## 5 Content Base Creation

---

Within the selected BxIO/Repo you now need to create a base for the content

- cd to BxIO/Repo
- mkdir contentBase
- cd contentBase

For example, /lcnt/lgpc/examples/permanent/bxde/en+fa/pres+art/ex1

---

Notes:

## 6 Content Languages Selection

---

## Content Languages Selection

### *Multilingualization*

- Decide On Primary Language Direction – en+fa=l2r fa+en=r2l fa=r2l en=l2r
- Decide On Secondary Languages If Any – english, farsi
- Combine The Primary And Secondary Languages – en+fa, fa+en
- When Only The Primary Language Is Needed, Just Select That – en, fa

Even when your text is expected to be in a single language, it is still a good idea to select more than one language so that multi-lingualization support is in place.

---

Notes:

## 7 Content Forms Selection

---

- Decide on Desired forms – Presentation, Article+Presentation, Article – Memo, WebPage, Mailings
  - Article form can also be: Memo, WebPage, Mailings
  - Presentation form can also be: WebSlider
  - When wishing to have both Presentation And Article forms, one needs to be considered primary. pres+art and art+pres are slightly different.
- 

Notes:

## 8 Build A Starting Point For Content Development And Processing

---

Based on your languages selection and your forms selection you can now create a starting point

- lcnLcntGens.sh – is used to create starting points for content development
- In CntnBaseDir, run lcnLcntGens.sh –
- From the offered list, select languages and forms

Running that, auto assigns a “Content Number” for you.

Your BxIO/Repo and location determines Author, organization and Publications Destinations.

In CntnBaseDir you now have starting point tex files, lcntProc.sh, panel.org and LCNT-INFO.



- NOTYET – Text from lcnLcntRoadmap.sh comes here

---

Notes:

## Part III

# Metadata Configuration – Build Verification And General Orientation

## 9 Metadata Configuration

---

- `lcnLcntGens.sh` has created for you LCNT-INFO with initial values. You may need to configure these values.
- Run: `lcntProc.sh -v -n showRun -i editLcntInfo mainTitle shortTitle subTitle subSubTitle description` to specify the name/title of your content.
- Run: `lcntProc.sh -i dblockUpdateFile articleEnFa.ttytex presentationEnFa.ttytex presArtEnFa.ttytex` to update all relevant dblocks to reflect the changes that you made to the LCNT-INFO metadata.

You now have a starting point. You can next build this initial content.

---

Notes:

## 10 Build Verification

---

Three different ways of processing your content.

- Command-Line Bash ICM – `lcntProc.sh`
  - ICM Panel – `Panel.org`
  - Org bash command from within LaTeX sources in `org-mode`
- 

Notes:

### 10.1 Content Processing – With `lcntProc.sh`

---

- `lcntProc.sh`
- `lcntProc.sh -i fullUpdate`
- `lcntProc.sh -i fullClean`
- `lcnLcntInputProc.sh -p inFormat=xelatex -p outputs=pdf -i buildDocs presentationEnFa.ttytex`

- `lcnLcntInputProc.sh -p inFormat=xelatex -p outputs=heveaHtml -i buildDocs presentationEnFa.ttytex`
- 

Notes:

## 10.2 Content Processing – With Panel.org

---

- Visit Panel.org
  - Select “run mode”
  - Just click on what you want
- 

Notes:

## 10.3 Content Processing – From LaTeX Sources

---

- Visit any of `presentationEnFa.ttytex` `articleEnFa.ttytex` `bodyPresArtEnFa.tex`
  - Switch to org-mode Overview – [F12-F12]
  - Click on Build & Preview Choices
- 

Notes:

## Part IV

# Adding Structure And Multilingual Text

## 11 Common To All Forms Features

### 11.1 MasterLangs.ttytex and BodyForm.Langstex Canonicalization

---

#### Multilingualization Features

##### *Left-To-Right Masters*

- presentationEnFa.ttytex and presArtEnFa.ttytex input bodyPresArtEnFa.tex
- articleEnFa.ttytex input bodyArticleEnFa.tex

.ttytex files are NOT intended to be considered “generally editable”. They are driven by LCNT-INFO metadata through dblock updates. They are customized by dblock argument selections They are extended by inputs additions.

- bodyPresArtEnFa.tex has presentation form content
- bodyArticleEnFa.tex has article form content

It is possible to use conditional common text to use within both forms.

---

Notes:

### 11.2 Conditional Processing Features

---

- beginpresentationMode – ByStar-Extention (LaTeX and HeVeA)
  - beginarticleMode – ByStar-Extention (LaTeX and HeVeA)
  - latexonly – HeVeA provided
  - htmlonly – HeVeA provided
  - rawhtml – HeVeA provided
- 

Notes:

### 11.3 Multilingualization Features In Left-To-Right Masters

---

#### Multilingualization Features

##### *Left-To-Right Masters*

- right-to-left
- 

Notes:

### 11.4 Multilingualization Features In Right-To-Left Masters

---

#### Multilingualization Features

##### *Right-To-Left Masters*

- right-to-left
- 

Notes:

## 12 Presentation Form Features

---

- DB-Frames Snippets
  - Frame Contents Snippets
- 

Notes:

### 12.1 Structure Of Presentation Form Content

---

beginsection – Snippets -> bx-latex-mode -> Parts DBlock

- Frame Head – Snippets -> bx-latex-mode -> DB-Frames
  - Frame Body – Snippets -> bx-latex-mode -> Frames-Content

- Frame Head+Body – Snippets -> bx-latex-mode -> DB-Frames Plus
  - Frame Inputed Body
  - Videoed-Frame as Frame Inputed Body –
  - Frame End – endframe
- 

Notes:

## 12.2 DB-Frames Snippets

---

YASnippets:

- Basic vs Narrated – Narrated include audio
  - Plain Vs Contained – Contained includes toc headers
- 

Notes:

## 12.3 Frame Content Snippets

---

YASnippets:

- Frame Notes – Shows up in artPres form and with pdfpc
  - Alert, Basic, Example
- 

Notes:

## 13 Article Form Features

---

- RefTeX Mode – ref, cite, index
  - Glossaries
- 

Notes:

## 13.1 RefTeX Mode – ref, cite, index

---

### RefTeX Mode

*ref, cite, index*

RefTeX Mode:

- ref
  - cite
  - index
- 

Notes:

## 13.2 Glossaries

---

YASnippets:

- Frame Notes – Shows up in artPres form and with pdfpc
  - Alert, Basic, Example
- 

Notes:

## Part V

# Adding Images – Figures And Pictures

## 14 Adding Images – Figures And Pictures

---

- Producing Images
  - Processing Images
  - Including Images
- 

Notes:

## 15 Producing Images

### 15.1 Drawing With libreoffice-draw

---

- Within Blee, In YASnippet, Select bx-latex-mode – Multi-Media Dblock – Image ODG
  - Specify a path to the .odg file
  - Update the dblock
  - From Panel.org – Re-Build all forms and formats to verify
- 

Notes:

## 16 Processing Images

### 16.1 Configuring And Running figProc.sh

---

- .odg -> figProc.sh -> .pdf, .eps
  - .odg -> figProc.sh -> -caption.tex
- 

Notes:



## 17 Including Images

### 17.1 Insert Image Dblock And Update

---

- `.odg -> figProc.sh -> .pdf, .eps`
  - `.odg -> figProc.sh -> -caption.tex`
- 

Notes:

## 18 Adding Images And Figures

---

- Within Blee, In YASnippet, Select `bx-latex-mode` – Multi-Media Dblock – Image ODG
  - Specify a path to the `.odg` file
  - Update the dblock
  - From Panel.org – Re-Build all forms and formats to verify
- 

Notes: Frame Notes

## Part VI

# Preparing For Voice-Over Narration

## 19 Prepare For Audio And Video Additions

---

- In Panel.org – Run `lcntProc.sh -i mmUniteStart`
  - Go to mmUnite Panel
  - From `./MmUnitePanel.org` – Run `mmUnite.sh -h -v -n showRun -i screenCastingFullUpdate` This Creates `./disposition.generated/` Where each frame is numbered and labled.
- 

Notes: Frame Notes

## 20 Adding Voice-Over Sounds To Slides

---

- In `./CntntBase/audio` from the Panel, run `mmUniteAudio.sh -h -v -n showRun -i frameNamesPrepare` This creates 1 sec silence files in `.wav` format for each of the files corresponding to labels in the presentation file.
  - In `./CntntBase/audio` from the Panel Go to `rec` command and `frameRecordCommand`
  - Click on each of the audacity `frameFileName.wav`
  - Within audacity, export audio, overwrite extension as `.wav`
  - When completed, run `mmUniteAudio.sh -i fullUpdate` – This will convert all the `.wav` files to `.mp3` and figure their length.
- 

Notes:

## Part VII

# Creating And Adding Videos And Screen Captures

## 21 Creating And Adding Screencasts

---

- In Panel.org – Run `lcntProc.sh -i mmUniteStart`
  - Go to mmUnite Panel
  - From `./MmUnitePanel.org` –
- 

Notes: Frame Notes

## 22 ScreenCast Initial Content Generation Setup

---

---

Notes: Frame Notes

## 23 ScreenCast VideoJS Setup

---

---

Notes: Frame Notes

---

---

Notes: Frame Notes

## Part VIII

# Using ByStar Content Publication Facilities

## 24 Publishing The Document

---

- In Panel.org – Run `lcntProc.sh -i mmUniteStart`
  - Go to mmUnite Panel
  - From `./MmUnitePanel.org` –
- 

Notes: Frame Notes

## Part IX

# Setting Up And Running Mailings And Distributions

---

- In Panel.org – Run `lcntProc.sh -i mmUniteStart`
  - Go to mmUnite Panel
  - From `./MmUnitePanel.org` –
- 

Notes: Frame Notes

## References